

Material Safety Data Sheet



COMPANY INFORMATION

Company Name:		Phone Number:	
Street/P.O. Box:		Fax Number:	
City		Emergency Phone:	
State		MSDS Revision Date:	
Zip			

Section 1 – IDENTIFICATION

Company Name:		Trade Name:	
Street/P.O. Box:		Chemical Name:	
City			
State		Chemical Family:	
Zip			

Section II – PHYSICAL DATA

Boiling Point:		Specific Gravity (water is 1)	
Percent Volatile:		Evaporation Rate (Butyl Acetate is 1):	
Vapor Density (air is 1)		PH (2% Solution)	
Solubility in Water		Appearance & Odor	

Hazardous Components	OSHA PEL	ACGIH TLV	Other Limits	Percent

Material Safety Data Sheet



Section III – HAZARDOUS INGREDIENTS

CAS NUMBER	CAS NAMES	PERCENT

TVL (Threshold Limit Value)		Ppm (parts per million)
-----------------------------	--	-------------------------

Section IV – FIRE AND EXPLOSION HAZARD DATA

FLASH POINT			
Test Method - Closed Cup:		Test Method - Open Cup:	

FLAMMABILITY LIMITS (IN AIR)			
Lower:		Upper:	

EXTINGUISHING MEDIA			

SPECIAL FIRE-FIGHTING PROCEDURES:

UNUSUAL FIRE AND EXPLOSIVE HAZARDS:

Material Safety Data Sheet



Section V – REACTIVITY DATA

Stability:		Incompatibility	
Hazardous Decomposition:		Hazardous Polymerization:	

Section VI – FIRST AID

EFFECTS OF OVEREXPOSURE:

INHALATION:

EYE & SKIN CONTACT:

INGESTION:

OTHER FIRST AID INFORMATION:

CARCINOGENICITY	NTP	IARC MONOGRAPHS	OSHA-REGULATED

SIGNS AND SYMPTOMS OF EXPOSURE:

Material Safety Data Sheet



Section VII – SPILL OR LEAK PROCEDURES

OTHER SPILL OR LEAK INFORMATION:

Section VIII – SPECIAL PROTECTION INFORMATION

VENTILATIONS			
Local Exhaust:		Mechanical:	

OTHER PROTECTIVE INFORMATION:

Section IX – SPECIAL PRECAUTIONS

HAZARD RATING			
(0) for LEAST.	(2) for MODERATE.	(4) for EXTREME.	
(1) for SLIGHT.	(3) for HIGH.		
Fire:		Toxicity:	
Reactivity:		DOT Hazard Class:	

Section X – FOOTNOTES

--